

# Carton sealer




## FJ-1A With Guide Automatic Carton Sealer

## FJ-1A Automatic Carton Sealer

- Top & side belts drive
- \* Suitable for heavy products


Model	FJ-1A
Power supply	1P 110V/220V 50Hz/60Hz 300W/600W
Sealing speed	30cartons/min
Carton size	L(150-∞)×W(120-480)×H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1090)×W(890)×H(1280)mm
Shipping size	L(1200)×W(1050)×H(1435)mm
G.W/N.W	250Kg/200Kg
Optional	① Extension roller table ② Feet wheel ③ Stainless steel



## FJ-1AW Automatic Carton Sealer

- side belts drive
- \* Suitable for products in light weight

Model	FJ-1AW
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(150-∞)×W(120-480)×H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1090)×W(890)×H(1280)mm
Shipping size	L(1200)×W(1050)×H(1435)mm
G.W/N.W	230Kg/180Kg
Optional	① Extension roller table ② Feet wheel ③ Stainless steel




## FJ-1AWS

### Smart stainless Steel Carton Sealer

- Side belts drive
- Suitable for products in small box

Model	MH-FJ-1AWS
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(200-∞)×W(95-300)×H(70-300)mm
Tape size	48mm (Kraft or BOPP tape) folded tape 35mm
Machine size	L(1090)×W(690)×H(1280)mm
Shipping size	L(1150)×W(850)×H(1435)mm
G.W/N.W	230Kg/180Kg
Optional	① Extension roller table ② Feet wheel ③ Not stainless steel



## FJ-1AE

### With Guard Automatic Carton Sealer

- Top & side belts drive
- Suitable for heavy products


Model	FJ-1AE
Power supply	1P 110V/220V 50Hz/60Hz 300W/600W
Sealing speed	30cartons/min
Carton size	L(150-∞)×W(120-480)×H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1370)×W(890)×H(1280)mm
Shipping size	L(1500)×W(1050)×H(1435)mm
G.W/N.W	270Kg/220Kg
Optional	① Extension roller table ② Feet wheel ③ Stainless steel



## FJ-1AWE

### Automatic Carton Sealer

Model	MH-FJ-1AWE
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(150-∞)×W(120-480)×H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1370)×W(890)×H(1280)mm
Shipping size	L(1400)×W(1050)×H(1435)mm
G.W/N.W	250Kg/200Kg
Optional	① Extension roller table ② Feet wheel ③ Not stainless steel



## MH-FJ-1S

### Automatic Carton Sealer

- Side sealer
- Top & bottom belts drive

Model	MH-FJ-1S
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(150-∞)×W(190-350)×H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(968)×W(1090)×H(1280)mm
Shipping size	L(1150)×W(1100)×H(1435)mm
G.W/N.W	245Kg/185Kg
Optional	① Extension roller table ② Feet wheel ③ Stainless steel




## FJ-2

### Side-band Automatic Carton sealer

- Side belts drive
- Automatically adjust the sealing height and width

Model	FJ-2
Power supply	1P 110V/220V 50Hz/60Hz 600W
Sealing speed	15cartons/min
Carton size	L(150-∞)×W(120-500)×H(120-450)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1150)×W(1005)×H(1230)mm
Shipping size	L(1200)×W(1100)×H(1400)mm
G.W/N.W	300Kg/250Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel




## FJ-3A

### Automatic Carton Sealer

- Side belts drive
- Automatically fold the top flaps

Model	FJ-3A
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	12-15cartons/min
Carton size	L(200-550)×W(150-480)×H(127-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1650)×W(988)×H(1370)mm
Shipping size	L(2000)×W(1050)×H(1570)mm
G.W/N.W	360Kg/300Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel



## FJ-3AE

### With Guard Automatic Carton Sealer

- Side belts drive
- Automatically fold the top flaps

Model	FJ-3AE
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	12-15cartons/min
Carton size	L(200-550)×W(150-480)×H(127-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1920)×W(890)×H(1370)mm
Shipping size	L(2000)×W(1050)×H(1570)mm
G.W/N.W	360Kg/300Kg
Optional	① Extension roller table ② Guard ③ Stainless steel




## FJ-3AR

### With Guard Automatic Carton Sealer

- Side belts drive
- Automatically fold the top flaps

Model	FJ-3AR
Power supply	3P 380V 50Hz/60Hz 600W
Sealing speed	30cartons/min
Carton size	L(200-660)×W(160-420)×H(150-450)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(2100)×W(1000)×H(1470)mm
Shipping size	L(2300)×W(1150)×H(1670)mm
G.W/N.W	360Kg/300Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel ⑤ Hot glue



## FJ-3B

### Side-band Automatic Carton sealer

- Automatically fold the top flaps
- Automatically adjust the sealing height and width
- Suitable to connect to the full automatic packaging line

Model	FJ-3B
Power supply	3P 380V 50Hz/60Hz 800W
Sealing speed	12cartons/min
Carton size	L(250-600)×W(180-450)×H(150-450)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(2100)×W(1050)×H(1750)mm
Shipping size	L(2150)×W(1100)×H(2000)mm
G.W/N.W	640Kg/550Kg




## FJ-P1

### Corner-type Full Automatic Carton Sealer

- Auto sealing top & bottom edges
- Manually adjust carton sizes


Model	FJ-P1
Power supply	1P 110V/220V 50Hz/60Hz 1000W
Sealing speed	12-15cartons/min
Carton size	L(300-700)×W(200-500)×H(200-500)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(2200)×W(1280)×H(1400)mm
Shipping size	L(2250)×W(1330)×H(1600)mm
G.W/N.W	550Kg/480Kg



## FJ-701B

### Automatic Carton Sealer

Model	FJ-701B
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(180-∞)×W(140-480)×H(120-480)mm
Tape size	48mm (Kraft or BOPP tape)
Machine size	L(1158)×W(890)×H(1230)mm
Shipping size	L(1300)×W(1090)×H(1330)mm
G.W/N.W	220Kg/170Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel




## YS-501AW

### Automatic Carton Sealer

- Side belts drive
- Suitable for products in light weight

Model	YS-501AW
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(150-∞)×W(120-480)×H(130-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1090)×W(880)×H(1165)mm
Shipping size	L(1628)×W(930)×H(1265)mm
G.W/N.W	220Kg/170Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel








### YS-501D Automatic Carton Sealer


- Top & bottom belts drive
- \* Suitable for products in light weight

Model	YS-501D
Power supply	1P 110V/220V 50Hz/60Hz 200W
Sealing speed	30cartons/min
Carton size	L(150-∞) × W(180-500) × H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1150) × W(890) × H(1280)mm
Shipping size	L(1150) × W(1050) × H(1435)mm
G.W/N.W	240Kg/190Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel




### YS-501X Automatic Carton Sealer

Model	YS-501X
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	30cartons/min
Carton size	L(150-∞) × W(120-480) × H(120-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1598) × W(910) × H(1370)mm
Shipping size	L(1800) × W(1100) × H(1570)mm
G.W/N.W	290Kg/340Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel



### YS-502D Automatic Carton Sealer

Model	YS-502D
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	12cartons/min
Carton size	L(150-∞) × W(220-480) × H(150-450)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1598) × W(910) × H(1420)mm
Shipping size	L(1800) × W(1100) × H(1520)mm
G.W/N.W	310Kg/360Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel




### YS-502 Automatic Carton Sealer

#### YS-502 Stainless Steel Automatic Carton Sealer



- Side belts drive
- \* Suitable for products in light weight
- \* Automatically adjust the sealing height and width

Model	YS-502
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	20cartons/min
Carton size	L(150-∞) × W(120-480) × H(130-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(1154) × W(920) × H(1275)mm
Shipping size	L(1690) × W(970) × H(1425)mm
G.W/N.W	300Kg/250Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Not stainless steel



## YS-502CF Automatic Carton Sealer

Model	YS-502CF
Power supply	1P 110V/220V 50Hz/60Hz 400W
Sealing speed	15cartons/min
Carton size	L(200-550) × W(200-500) × H(130-480)mm
Tape size	48-72mm (Kraft or BOPP tape)
Machine size	L(2020) × W(990) × H(1430)mm
Shipping size	L(2200) × W(1050) × H(1480)mm
G.W/N.W	400Kg/350Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel



## M2 Mini Automatic Carton Sealer

Model	M2
Power supply	1P 110V/220V 50Hz/60Hz 600W
Sealing speed	12cartons/min
Carton size	L(150-∞) × W(120-450) × H(120-450)mm
Tape size	48-72mm(Kraft or BOPP tape)
Machine size	L(1114) × W(1000) × H(1380)mm
Shipping size	L(1300) × W(1100) × H(1480)mm
G.W/N.W	300Kg/250Kg
Optional	① Extension roller table ② Feet wheel ③ Guard ④ Stainless steel



world advanced packaging system

