


Cartoning Machine



Y CZ-250B/250P

Cartoning machine (for medicine board/bottle)

Model	Y CZ-250B/250P
Speed	160-220cartons/min
Carton dimension	(45-180)x(30-85)x(15-60)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 4.5KW
Air consumption	5-8L/MIN
Vacuum suction	0.06Mpa (comes with vacuum generator)
Weight	around 3ton
Machine dimension	4500-6000x1250x1800mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



Y CZ-125P

Cartoning machine (for medicine board/bottle)

Model	Y CZ-125P
Speed	80-110cartons/min
Carton dimension	(45-180)x(20-80)x(20-50)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 1.5KW
Air consumption	10-15L/MIN
Vacuum suction	0.06Mpa(comes with vacuum generator)
Weight	around 950Kg
Machine dimension	2500x1100x1700mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



Y CZ-125P II

Cartoning machine (for medicine board/bottle)

Model	Y CZ-125P II
Speed	80-110cartons/min
Carton dimension	(45-180)x(20-80)x(20-50)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 1.5KW
Air consumption	10-15L/MIN
Vacuum suction	0.06Mpa (comes with vacuum generator)
Weight	around 950Kg
Machine dimension	2500x1100x1700mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



YCZ-100D

Cartoning machine(enlarged type,glueing function)

Model	YCZ-100D
Speed	50-70cartons/min
Carton dimension	(100-220)x(30-125)x(30-130)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 1.5KW
Air consumption	10-15L/MIN
Vacuum suction	0.06Mpa (comes with vacuum generator)
Weight	around 1100Kg
Machine dimension	2500x1100x1700mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



YCZ-125B

Cartoning machine
(for medicine board/for medicine board,auto infeed cartons)

Model	YCZ-125B
Speed	80-110cartons/min
Carton dimension	(45-180)x(30-85)x(12-50)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 1.5KW
Air consumption	10-15L/MIN
Vacuum suction	0.06Mpa (comes with vacuum generator)
Weight	around 850Kg
Machine dimension	2100x1100x1700mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



YCZ-125G

Cartoning machine (for unguent,with baffle infeed)

Model	YCZ-125G
Speed	60-80cartons/min
Carton dimension	(45-180)x(30-85)x(12-50)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 1.5KW
Air consumption	10-15L/MIN
Vacuum suction	0.06Mpa (comes with vacuum generator)
Weight	around 950Kg
Machine dimension	2500x1100x1700mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



YCZ-125BII

Cartoning machine
(for medicine board/for medicine board,auto infeed cartons)

Model	YCZ-125BII
Speed	80-110cartons/min
Carton dimension	(45-180)x(30-85)x(12-50)mm
Manual dimension	(70-200)x(70-140)mm
Power	50Hz 380V 1.5KW
Air consumption	10-15L/MIN
Vacuum suction	0.06Mpa (comes with vacuum generator)
Weight	around 850Kg
Machine dimension	2100x1100x1700mm
Carton requirement	250-350g/sq.m
Manual requirement	50-60g/sq.m



YCK-150

Auto film strapping machine

Power	220V,50HZ,400W
Packaging specification	1x5,1x10,2x5
Production capacity	8-15 bags
Air consumption	5-8L/min
Machine weight	150kg
Machine dimension	1600x600x1550mm
Carton requirement	250-350g/sq.m
Carton dimension	L(80-180)x W(30-150)x H(15-50)mm
Max packing size	L200x W150x H250
Mode of entering carton	Linear type



YCK-300

Auto film strapping machine

Power	220V,50HZ,500W
Packaging specification	1x5,1x10,2x5
Production capacity	15-20 bags
Air consumption	5-8L/min
Machine weight	200kg
Machine dimension	2500x600x1550mm
Carton requirement	250-350g/sq.m
Carton dimension	L(80-180)x W(30-150)x H(15-50)mm
Max packing size	L200x W150x H250
Mode of entering carton	Linear type

